

GOVERNMENT OF GUAM DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES DIVISION OF ENVIRONMENTAL HEALTH			BARBER AND BEAUTY SHOPS, SCHOOLS, AND THE PRACTICE OF BARBERING AND COSMETOLOGY INSPECTION REPORT PAGE 1 OF 1		
INSPECTION		GRADE	Inspection Date	ESTABLISHMENT NAME:	
Regular <input checked="" type="checkbox"/>		8/A	10/30/18	MIRAGE SPA AND NAIL SALON	
Follow-Up <input type="checkbox"/>			Time In/Out:	OWNER/OPERATOR:	
Complaint <input type="checkbox"/>			10:20AM - 11:50AM	ZHANG, ZHAO HONG	
Investigation <input type="checkbox"/>			Sanitary Permit:	LOCATION: LOT 5050-2-R1 1344 SAN VITORES Pkwy	
Other(Specify Below) <input type="checkbox"/>			No.: 180000761	TUNAN, GUAM	
			Exp.: 01/30/19	ESTABLISHMENT TYPE: BARBER / BEAUTY SHOP	
The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written hearing request must be submitted before the indicated correction date.					
ITEM NO.*	REMARKS				DEMERITS
9. 11.	A REGULAR INSPECTION WAS CONDUCTED TODAY. THE FOLLOWINGS WERE OBSERVED:				COS
	LOWCUPS AND CANSIES WERE OFFERED TO CUSTOMERS.				
	* CORRECTIVE ACTION: PERSON-IN-CHARGE (PIC) DISCARDED FOOD ITEMS.				
	FOOD SHALL NOT BE SERVED TO ANY CUSTOMER AS PER RULES AND REGULATIONS PERTAINING TO BARBER AND BEAUTY SHOPS, SCHOOLS, AND THE PRACTICE OF BARBERING AND COSMETOLOGY.				
19.	STANDARD MEASURING CUPS WERE NOT PROVIDED AND USED. STANDARD MEASURING CUPS SHALL BE PROVIDED AND USED TO ENSURE PROPER SANITIZING OF UTENSILS AND EQUIPMENT.				2 11/29/18
29.	SELF-CLOSING DEVICE NOT INSTALLED ON BOTH MEN'S AND WOMEN'S RESTROOM (COS) SELF-CLOSING DEVICE PROVIDED AND INSTALLED ON-SITE; WOMEN'S RESTROOM DOOR NOT SELF-CLOSING (SELF-CLOSING DEVICE ON DISREPAIR). TOILET ROOMS SHALL HAVE SELF-CLOSING DOORS TO PREVENT THE SPREAD OF DENOXIOUS ODORS INTO THE ESTABLISHMENT.				4 11/29/18
44.	SANITARY PERMIT AND HEALTH CERTIFICATES NOT POSTED. SANITARY PERMIT AND HEALTH CERTIFICATES SHALL BE CONSPICUOUSLY POSTED AS REQUIRED.				2 11/29/18
PHOTOS WERE TAKEN -					
"A" PLACARD NO. 029155 ISSUED AND POSTED ON WALL BEHIND CASHIER. INFORMED PIC TO PROVIDE PHOTOS AND DOCUMENTATION OF THE CORRECTIONS MADE TO THE VIOLATIONS CITED ABOVE TO DPHS-DEH ON OR BEFORE THE CORRECT BY DATE. GUIDANCE ON WHERE AND WHEN TO SUBMIT THE DOCUMENTATION PROVIDED TO PIC. DISCUSSED THIS REPORT WITH ZHAO HONG ZHANG, (OWNER)					
I HAVE READ AND UNDERSTAND THE ABOVE VIOLATION(S) AND I AM AWARE OF THE CORRECTIVE MEASURES TO BE TAKEN.					
*When any of the following items are cited above, they shall be corrected within ten (10) days of this inspection: (1), (2), (3), (7), (8), (17), (22), (24), (31), (43), and (45).			RECEIVED BY (Name & Title): ZHAO HONG ZHANG owner <i>[Signature]</i> DEH INSPECTOR (Name & Title): V. RAMUNDO, PHOI <i>[Signature]</i> R. ORLANDO, PHOI <i>[Signature]</i>		
GEH-07 Rev: 10/98			WHITE COPY - Office YELLOW COPY - Establishment 300-9570		